

RAVENOL ATF SP-IV RR

RAVENOL ATF SP-IV RR was developed with a synthetic PAO base oil and a special selection of additives and inhibitors to produce excellent thermal and oxidation stability and adhesion factor performance. This guarantees the fault free functioning of the automatic transmission. RAVENOL ATF SP-IV RR demonstrates excellent flow properties at low temperatures.

RAVENOL ATF SP-IV RR is a new generation ATF (Automatic-Transmission-Fluid) for 8-speed automatic transmissions of Hyundai and KIA. Guarantees maximum wear protection in every operating status.

Application Notes

RAVENOL ATF SP-IV RR was specially developed for 8-speed automatic transmissions of Hyundai and KIA. Please follow manufacturer's recommendations.

Practice and tested in aggregates with filling

Hyundai 00232-19052, Hyundai 04500-00117, Hyundai EQUUS, Hyundai GENESIS, Hyundai GENESIS Coupe, KIA MOHAVE, KIA QUORIS

<u>Characteristic</u>

- RAVENOL ATF SP-IV RR offers:
- Very good lubricant properties, even in low winter temperatures
- High, stable viscosity index
- High thermal and oxidative stability
- Excellent protection against wear, corrosion and frothing
- Excellent friction coefficient consistencyExcellent cooling properties

Characteristics	Unit	Data	Audit
Colour		red	visual
Density at 20°C	kg/m³	845	EN ISO 12185
Pourpoint	°C	-51	DIN ISO 3016

All indicated data are approximate values and are subject to the commercial fluctuations.

All information correspond to the best of our knowledge to the actual situation of the cognitions and our development. Subject to alterations. All references made to DIN-norms are only for the description of the goods. There is no guarantee. In case there will be any problems please contact the technical service.

22.03.2016 Ravensberger Schmierstoffvertrieb GmbH Postfach 1163 33819 Werther Tel.: 05203/9719-0 Fax.: 052039719-40 / 41