



## RAVENOL MTF-1 SAE 75W-85

RAVENOL MTF-1 SAE 75W-85 is a PAO based full synthetic, low-viscosity transmission oil for special manual transmissions, transfer cases and differential gears.

RAVENOL MTF-1 SAE 75W-85 is designed based on synthetic base oils and specially coordinated additive treatment. This exceeds the needs of today's application requirements.

RAVENOL MTF-1 SAE 75W-85 is outstanding for use under severe mechanical and thermal stress on transmission oils, even with extended oil change intervals.

### Application Notes

RAVENOL MTF-1 SAE 75W-85 is a high performance transmission oil for manual transmissions, transfer cases and differential gears.

### Quality Classifications

#### Specifications

API GL-4, API GL-5

#### Practice and tested in aggregates with filling

General Motors 1940182, General Motors 93740319, Hyundai 04300-00110, Hyundai 04300-00140, Hyundai 08950-00020-B, Hyundai 08950-00020-A, MB 235.7, MB 235.4, Mitsubishi 3717610, MTF BOT 402 BOT 0063 for F35/MU3 5-Gang SAAB/GM/Opel, Nissan KLD26-75802, KE91699931, KE91699942, 999MP-MTF00P, OPEL B 040 2071, TOYOTA 08885-02606, TOYOTA 08885-81070, TOYOTA 08885-81060

### Characteristic

RAVENOL MTF-1 SAE 75W-85 offers:

- Excellent thermal stability.
- High protection from rust, corrosion, foaming.
- Low solidification point.
- Excellent EP properties.
- Good shifting behaviour in low temperatures.
- Extended life.
- Fuel savings

Characteristics	Unit	Data	Audit
Colour		rot	visual
Density at 15°C	kg/m <sup>3</sup>	876	EN ISO 12185
Pourpoint	°C	-45	DIN ISO 3016

All indicated data are approximate values and are subject to the commercial fluctuations.

All information correspond to the best of our knowledge to the actual situation of the cognitions and our development. Subject to alterations. All references made to DIN-norms are only for the description of the goods. There is no guarantee. In case there will be any problems please contact the technical service.

15.03.2016

Ravensberger Schmierstoffvertrieb GmbH

Postfach 1163

33819 Werther

Tel.: 05203/9719-0

Fax.: 052039719-40 / 41